S20 METALLIC PUMP TECHNICAL DATA SHEET

SERIES

STANDARD DUTY BALL VALVE PUMPS

Offering the widest range of performance and application capabilities

PERFORMANCE

SUCTION / DISCHARGE PORT SIZE

- 2" NPT (internal)
- · 2" BSP Tapered (internal)
- · 2" ANSI 150# Raised Face Flanged

0 to 200 gallons per minute (0 to 758 LPM)

AIR DISTRIBUTION VALVE

· No-lube, no-stall design

SOLIDS-HANDLING

• Up to .25 in. (6mm)

HEADS UP TO

· 125 psi or 289 ft. of water (8.6 Kg/cm2 or 86 meters)

MAXIMUM OPERATING PRESSURE

125 psi (8.6 bar)


DISPLACEMENT/STROKE


.46 Gallon / 1.7 liter


WEIGHTS


- · Aluminum 69 lbs. (31kg)
- Cast Iron 129 lbs. (59kg)
- · Stainless Steel 114 lbs. (52kg)

DIMENSIONS











5 YEAR LIMITED PRODUCT WARRANTY

5 Year Guarantee for defects in material or workmanship. See sandpiperpump.com/content/warranty-certifications for complete warranty, including terms and conditions, limitations and exclusions.



USE ONLY GENUINE SANDPIPER PARTS

All certification, standards, guarantees & warranties originally supplied with this pump will be invalidated by the use of service parts not identified as "Genuine SANDPIPER Parts.














EXPLANATION OF PUMP NOMENCLATURE



PUMP BRAND

SANDPIPER®

PUMP SIZE

20 2"

CHECK VALVE TYPE

В Ball

Weighted W

DESIGN LEVEL

Design Level

WETTED MATERIAL

Aluminum

Cast Iron

S Stainless Steel

Н Alloy C

Unpainted Aluminum Х

DIAPHRAGM/CHECK VALVE MA-

Santoprene/Santoprene 1

2 PTFE-Santoprene/PTFE

Nitrile/Nitrile В

C FKM/PTFE EPDM/EPDM

MATERIALS

EPDM/Santoprene ī.

G PTFE-Neoprene/PTFE

Santoprene/PTFE M

Neoprene/Neoprene

One-Piece Bonded/PTFE Z

CHECK VALVE SEAT

Aluminum

Nitrile В

Carbon Steel C

Е **EPDM**

N Neoprene Stainless Steel

PTFE Т

FKM

UHMW Polyethylene

NON-WETTED MATERIAL OP-TIONS

Painted Aluminum

Cast Iron

Painted Aluminum w/PTFE

Coated Hardware

S Stainless Steel with

Stainless Steel Hardware Painted Aluminum with

Stainless Steel Hardware

Z Cast Iron with Stainless Steel Hardware

PORTING OPTIONS

Ν NPT Threads

BSP (Tapered) Threads

Raised Face 150# Threaded ANSI Flange

Welded Raised Face #150 ANSI

Flanged Manifolds

PUMP STYLE

Standard

PUMP OPTIONS

n None

Metal Muffler

KIT OPTIONS

00. None

10.30VDC Pulse Output Kit

P1. Intrinsically-Safe 5.30VDC, 110/120VAC 220/240 VAC Pulse Output Kit

110/120 or 220/240VAC Pulse Output Kit

Solenoid Kit with 24VDC Coil

Solenoid Kit with 24VDC

Explosion-Proof Coil

E2. Solenoid Kit with 24VAC/12VDC Coil

Solenoid Kit with 12VDC Explosion-Proof Coil

Solenoid Kit with 110VAC Coil

KIT OPTIONS (CONTINUED)

Solenoid Kit with 110VAC Explosion-Proof Coil

Solenoid Kit with 220VAC Coil E6.

Solenoid Kit with 220VAC

Explosion-Proof Coil Solenoid Kit with 110VAC, 50 Hz

Explosion-Proof Coil

Solenoid Kit with 230VAC, 50 Hz Explosion-Proof Coil

Stroke Indicator Pins

A1. Solenoid Kit with 12 VDC ATEX Compliant Coil

A2. Solenoid Kit with 24 VDC ATEX Compliant Coil

A3. Solenoid Kit with 110/120 VAC 50/60 Hz ATEX Compliant Coil

A4. Solenoid Kit with 220/240 VAC 50/60 Hz ATEX Compliant Coil

Material Profile:	Operating Temperatures:	
CAUTION! Operating temperature limitations are as follows:	Max.	Min.
CONDUCTIVE ACETAL: Tough, impact resistant, ductile. Good abrasion resistance and low friction surface. Generally inert, with good chemical resistance except for strong acids and oxidizing agents.	190°F 88°C	-20°F -29°C
EPDM: Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair in ketones and alcohols.	280°F 138°C	-40°F -40°C
FKM (FLUOROCARBON): Shows good resistance to a wide range of oils and solvents; especially all aliphatic, aromatic and halogenated hydrocarbons, acids, animal and vegetable oils. Hot water or hot aqueous solutions (over 70°F(21°C)) will attack FKM.	350°F 177°C	-40°F -40°C
HYTREL®: Good on acids, bases, amines and glycols at room temperatures only.	220°F 104°C	-20°F -29°C
NEOPRENE : All purpose. Resistance to vegetable oils. Generally not affected by moderate chemicals, fats, greases and many oils and solvents. Generally attacked by strong oxidizing acids, ketones, esters and nitro hydrocarbons and chlorinated aromatic hydrocarbons.	200°F 93°C	-10°F -23°C
NITRILE: General purpose, oil-resistant. Shows good solvent, oil, water and hydraulic fluid resistance. Should not be used with highly polar solvents like acetone and MEK, ozone, chlorinated hydrocarbons and nitro hydrocarbons.	190°F 88°C	-10°F -23°C
NYLON: 6/6 High strength and toughness over a wide temperature range. Moderate to good resistance to fuels, oils and	180°F 82°C	32°F 0°C

CONDUCTIVE ACETAL: Tough, impact resistant, ductile. Gabrasion resistance and low friction surface. Generally inert, with good chemical resistance except for strong acids and oxidizing agents. EPDM: Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair in ketones and alcohols. FKM (FLUOROCARBON): Shows good resistance to a wide range of oils and solvents; especially all aliphatic, aromatic a halogenated hydrocarbons, acids, animal and vegetable oils. Hot water or hot aqueous solutions (over 70°F(21°C)) will at FKM. HYTREL®: Good on acids, bases, amines and glycols at room temperatures only. NEOPRENE: All purpose. Resistance to vegetable oils. Gen ally not affected by moderate chemicals, fats, greases and many oils and solvents. Generally attacked by strong oxidizinacids, ketones, esters and nitro hydrocarbons and chlorinate aromatic hydrocarbons. NITRILE: General purpose, oil-resistant. Shows good solvers.	CAUTION! Operating temperature limitations are as follows:	Max. Min.		chlorine, fuming nitric acid and other strong oxidizing	
	CONDUCTIVE ACETAL: Tough, impact resistant, ductile. Good abrasion resistance and low friction surface. Generally inert, with good chemical resistance except for strong acids and	190°F 88°C	-20°F -29°C	PVDF: (Polyvinylidene Fluoride) A durable fluoropla excellent chemical resistance. Excellent for UV app High tensile strength and impact resistance.	
	, ,			SANTOPRENE®: Injection molded thermoplastic el	
	EPDM: Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair in ketones and	280°F 138°C	-40°F -40°C	no fabric layer. Long mechanical flex life. Excellent resistance.	
				UHMW PE: A thermoplastic that is highly resistant trange of chemicals. Exhibits outstanding abrasion a resistance, along with environmental stress-crackin	
	, ,	350°F 177°C			
	halogenated hydrocarbons, acids, animal and vegetable oils. Hot water or hot aqueous solutions (over 70°F(21°C)) will attack			URETHANE: Shows good resistance to abrasives. resistance to most solvents and oils.	
		20005	0005	VIRGIN PTFE: (PFA/TFE) Chemically inert, virtually	
		220°F 104°C	-20°F -29°C	Very few chemicals are known to chemically react wit molten alkali metals, turbulent liquid or gaseous fluori	
	EOPRENE: All purpose. Resistance to vegetable oils. Gener-	200°F 93°C	-10°F -23°C	fluoro-chemicals such as chlorine trifluoride or oxyger which readily liberate free fluorine at elevated temper	
	30 0	200	Maximum and Minimum Temperatures are the limits operated. Temperatures coupled with pressure affe components. Maximum life should not be expected		
	ITRILE: General purpose, oil-resistant. Shows good solvent,	190°F 88°C	-10°F	temperature ranges.	
	oil, water and hydraulic fluid resistance. Should not be used with highly polar solvents like acetone and MEK, ozone, chlorinated		-23°C	Metals:	

SANDPIPERPUMP.COM

chemicals

Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867

POLYPROPYLENE: A thermoplastic polymer. Moderate tensile 180°F 32°F and flex strength. Resists stong acids and alkali. Attacked by 82°C 0°C ing agents. lastic with 250°F 0°F plications. 121°C -18°C elastomer with 275°F -40°F -40°C t abrasion 135°C to a broad 180°F -35°F and impact 82°C -37°C ng resistance 150°F 32°F . Has poor 66°C 0°C 220°F y impervious. -35°F ith PTFE; 104°C -37°C orine and a few en difluoride eratures

its for which these materials can be fect the longevity of diaphragm pump d at the extreme limits of the

ALLOY C: Equal to ASTM494 CW-12M-1 specification for nickel and nickel alloy.

STAINLESS STEEL: Equal to or exceeding ASTM specification A743 CF-8M for corrosion resistant iron chromium, iron chromium nickel and nickel based alloy castings for general applications. Commonly referred to as 316 Stainless Steel in the pump industry.

For specific applications, always consult the Chemical Resistance Chart.



NOTE: See service manual for ATEX details.